

## Heavy Metals Report

| <b>Metal</b>   | <b>*Before (ppb)</b> | <b>*After (ppb)</b> | <b>Percentage Change</b> |
|----------------|----------------------|---------------------|--------------------------|
| Antimony (Sb)  | 1.09                 | 2.48                | 128%                     |
| Arsenic (As)   | 2.53                 | 3.93                | 55%                      |
| Copper (Cu)    | 363.66               | 3656.11             | 905%                     |
| Lead (Pb)      | 2.45                 | 8.16                | 233%                     |
| Uranium (U238) | 3.08                 | 5.58                | 81%                      |
| Barium (Ba)    | 60.2                 | 74.3                | 23%                      |
| Cadmium (Cd)   | 5.55                 | 12.15               | 119%                     |
| Chromium (Cr)  | 13958.44             | 22838.88            | 63%                      |
| Nickel (Ni)    | 411.48               | 672.52              | 63%                      |
| Aluminum (Al)  | 216.33               | 950.33              | 339%                     |
| Iron (Fe)      | 50645.66             | 138918.11           | 174%                     |
| Manganese (Mn) | 218.77               | 524.44              | 140%                     |
| Zinc (Zn)      | 148.44               | 288.22              | 94%                      |

February 2002

As determined by Doctor's Data 3755 Illinois Avenue, St. Charles, IL 60174-2420

These statistics show the average increase in toxic metals from nine separate IonCleanse® sessions.

Beryllium, Mercury, Thallium and Selenium were tested and showed no significant changes after IonCleanse® sessions.

\*The "Before" column represents the water after a 30 minute IonCleanse® session without feet in the water. The "After" column represents the water after a 30 minute IonCleanse® session with feet in the water.